


POGO-25

High Performance Bias Ball Probe

Product Family: POGO



Springs

Force Type - Preload in oz (g) - Rec. Travel in oz (g)

- Spring Material

Light - 0.75 (21.00) - 2.00 (57.00) -
 Standard - 1.50 (43.00) - 4.00 (113.00) -
 Alternate - 2.58 (73.00) - 6.00 (170.00) -
 Elevated - 2.65 (75.00) - 6.50 (184.00) -
 High - 2.84 (81.00) - 8.00 (227.00) -
 Ultra High - 1.77 (50.00) - 10.00 (283.00) -
 Super - 3.93 (111.00) - 16.00 (455.00) -

Body Type


Straight
 Pylon Bend

TIPS:


Tip Materials: BeCu, Steel

Tips:


POGO-25B




POGO-25H




POGO-25H-INS




POGO-25HM




POGO-25HM-INS



POGO-25I




POGO-25J



POGO-25L




POGO-25L18




POGO-25L36




POGO-25T




POGO-25T30




POGO-25T36




POGO-25UN




POGO-25V




POGO-25Z




POGO-25Z1




POGO-25A




POGO-25A-S




POGO-25B-S



POGO-25H-S




POGO-25I-S




POGO-25I15-S




POGO-25I35-S




POGO-25I8-S




POGO-25J-S




POGO-25L-S




POGO-25L18-S




POGO-25L36-S




POGO-25T-S




POGO-25T1-S




POGO-25T10-S




POGO-25T30-S




POGO-25T36-S




POGO-25V-S




POGO-25UN-S



POGO-25Z1-S




POGO-25Z-S




Related Products:


SPR-25W




SPR-25W-1




SPR-25W-2




SPR-25W-3




SPR-25W-2L




SPR-25W-2LL



EPR-25W-2L



EPR-25W-2LL



EPR-25W-2

